

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	3570	(establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 15:12
L23	73094	"455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 15:10
L24	173	22 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 15:11
L25	25	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 16:59
L26	7	25 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 15:13
L27	3	"6917600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 16:08
L28	2	"6769000".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 16:08
L29	8	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) near session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:00
L30	8	(hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) near session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:01

L31	1413	(establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) near session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:01
L32	563	(establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) near session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:01
L33	548	(establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:02
L34	49	709/227.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:25
L35	3	455/436.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:03
L36	0	709/227.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:25
L37	10	709/227.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:31
L38	107	determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:31
L39	0	determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<-2001	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:31
L40	48	determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:42

L41	3	determin\$6 with new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:43
L42	8	determin\$6 with new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:44
L43	0	determin\$6 samenew with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:44
L44	12	determin\$6 same new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/06 17:45